



BoronBoost[®] Foliar

FOLIAR-APPLIED LIQUID NUTRIENT

B 6%

GUARANTEED ANALYSIS

Boron (B) 6.0%

Derived from: boron ethanolamine.

2.5 US Gal / 9.5 Liters

10.2 lbs per Gallon @ 68° F

1.2 kgs per Liter @ 20° C

Net Weight 25.6 lbs / 11.6 kgs


DO NOT STORE BELOW 40°F (5°C)

FBSciences Inc.

153 N. Main St, Suite 100 | Collierville, TN 38017 USA

USA071322 | F1837

3102405



BoronBoost® Foliar

DIRECTIONS FOR USE

DO NOT spray in the heat of the day or when the plant is under moisture stress. DO NOT spray to the point of runoff. Use as fine of a spray mist as possible. Allow 3-4 hours after application before sprinkler irrigating to avoid washing the product off.

Recommended mixing sequence: water, adjuvants, pesticides, FBSciences nutrient products, other fertilizers, balance of water while agitating. A standard jar test is recommended before tank mixing.

RATES & TIMING FOR ALL CROPS

For Orchards & Vineyards apply **1-8 pints/acre** any time during growing season; repeat as needed. Use the higher rate with spray volume greater than 50 gallons/acre.

For All Other Crops apply **1-4 pints/acre** any time during growing season; repeat as needed.

INSTRUCCIONES DE USO

NO rociar en el calor del día o cuando la planta esté bajo estrés hídrico. NO rociar hasta el punto de escurrimiento. Utilizar una niebla de rociado lo más fina posible. Dejar transcurrir de 3 a 4 horas después de la aplicación antes de regar con aspersión para evitar lavar el producto.

Secuencia de mezcla recomendada: agua, adyuvantes, pesticidas, productos nutritivos de FBSciences, otros fertilizantes, balance de agua mientras se agita. Se recomienda una prueba de jarra estándar antes de mezclar en el tanque.

TASAS Y MOMENTO PARA TODOS LOS CULTIVOS

Para huertos y viñedos: Aplicar de **1 a 8 pintas de galón/acre** en cualquier momento durante la temporada de crecimiento; repetir según sea necesario. Usar la dosis más alta con un volumen de rociado superior a los 50 galones / acre.

Para todos los demás cultivos: aplicar de **1 a 4 pintas de galón/acre** en cualquier momento durante la temporada de crecimiento; repetir según sea necesario.

WARNING: This product contains boron. Over application or excessive use of boron, or use on crops other than those listed, can result in boron toxicity, causing foliar damage or serious plant injury.

READ ENTIRE LABEL BEFORE USE | KEEP OUT OF REACH OF CHILDREN

HAZARD STATEMENTS This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

DECLARACIONES DE PELIGRO Este producto químico no se considera peligroso según el Estándar de Comunicación de Riesgos de OSHA 2012 (29 CFR 1910.1200).

WARRANTY AND CONDITIONS OF SALE Manufacturer warrants that this material conforms to the chemical description hereon and is reasonably fit for use as directed. No other warranty is made, either expressed or implied. BEFORE OPENING, see other conditions and limitations that apply which are available at: <http://www.FBSciences.com/ProductConditionsOfSale/>. See patent and other patents pending: <http://www.fbsciencespatents.com>. Information regarding the contents and levels of metals in this product is available on the Internet at: <http://www.aapfco.org/metals.html>

USA071322 | 3152405